

Figure Headings
Chapter X, Mossbacks Settlement Patterns

<u>Figure No.</u>	<u>Heading</u>	<u>Page</u>
X-1	Mossbacks Quadrat Elevations; All Quadrats; Quadrats with Mossbacks Habitation sites; Quadrats with Limited Activity sites	--
X-2	Mossbacks Locations; Quadrats with Habitations sites; Quadrats with Limited Activity sites	--
X-3	Mossbacks Quadrats Coverage with Dense Pinyon- Juniper; All Quadrats; Quadrats with Habitation sites; Quadrats with Limited Activity Sites	--
X-4	Hypervolume; Dimension 1 and 2; Mossbacks Habitation Quadrats; Same plot of IX-4	--
X-5	Hypervolume; Dimension 3 and 4; Mossbacks Habitation Quadrats; Same plot of IX-5	--
X-6	Hypervolume; Dimension 1 and 2; Mossbacks Limited Activity Quadrats; Same plot of IX-4	--
X-7	Hypervolume; Dimension 3 and 4; Mossbacks Limited Activity Quadrats; Same plot of IX-4	--
X-8	Rose Diagram for Mossbacks Habitation Sites	--
X-9	Rose Diagram for Mossbacks Limited Activity Sites	--
X-10	Number of Habitation Sites per Quadrat	--
X-11	Number of Dwelling per Quadrat	--
X-12	Cedar Mesa Mossbacks Population; Population by Pithouse House Life	--




Figure X-1




Figure X-2







Figure X-3







● Quadrats with BM III L.A. Sites

Figure X-7




Figure X-8




Figure X-9




Figure X-10




Figure X-11




Figure X-12

Table of Contents
Tables

<u>Table Number</u>	<u>Table Heading</u>	<u>Page</u>
X-1	Basketmaker III Dwellings	--
X-2	Quadrats by Number of Habitation sites	--
X-3	Quadrats by Number of Inferred Dwellings	--
X-4	Fit of Poisson Distribution with Basketmaker III Dwelling Distribution	--
X-5	Fit Negative Binomial Distribution with Basketmaker III Dwelling Distribution	--

TABLE X-1

BASKETMAKER III DWELLINGS

<u>Site</u>	<u>n of Dwellings</u>
B3-7	1
B5-7	1
B6-2	1 or 2
B6-6	1
B7-1	1
B11-5	1
B12-1	1
B13-3	1
B15-3	1
B16-2	1
B16-4	1
B18-1	1
B19-1	1
B19-3	1
B22-2	1
H14-2	1
N4-2	1
N4-5	1
N11-4	2 or 3
W2-3	1
W11-3	1
W12-6	1
W16-6	1
U2-2	1
U2-4	1
U2-7	1
U4-3	3
U5-2	1
U6-1	1
U6-2	1
U6-3	1
	34-36

n of sites=31

n of quadrats=23

TABLE X-2

QUADRATS BY NUMBER OF HABITATION SITES

<u>Number of Sites</u>	<u>Number of Quadrats</u>
0	53
1	17
2	4
3	2

Drainage Totals of Habitation Sites

Bullet=1

Hardscrabble=1

North Road=3

West John's=4

Upper Grand=8

TABLE X-3

QUADRATS BY NUMBER OF INFERRED DWELLINGS

<u>Number of Dwellings</u>	<u>Number of Quadrats</u>
0	53
1	15
2	5
3	3

Drainage Totals of Inferred Dwellings

Bullet=16

Hardscrabble=1

North Road=5

West John's=4

Upper Grand=10

TABLE X-4

FIT OF POISSON DISTRIBUTION WITH BASKETMAKER III
 DWELLING DISTRIBUTION

<u>Class</u>	<u>Observed</u>	<u>Expected</u>
0	53	48.587
1	15	21.736
2	5	4.862
3	3	.815

Mean=.4474

Chi square=3.439

Variance=.61565

d.f.=1

~ prob=.07

TABLE X-5
 FIT OF NEGATIVE BINOMIAL DISTRIBUTION WITH
 BASKETMAKER III DWELLING DISTRIBUTION

<u>Class</u>	<u>Observed</u>	<u>Expected</u>
0	53	51.987
1	15	16.900
2	5	5.057
3	3	2.056

Mean=.4474

Chi square=.8284

Variance=.61565

d.f.=1

(by moments)=1.1893

~ prob=.35