

HUMAN ADAPTATIONS ON CEDAR MESA, SOUTHEASTERN UTAH

June, 1990

R.G. Matson

William D. Lipe

William R. Haase IV

## Table of Contents

	<u>Page</u>
List of Figures	--
List of Tables	--
List of Plates	--
Chapter I, Introduction	I-1, 40
Chapter II, Research Design	II-1, 24
Chapter III, Methodology	III-1, 76
Chapter IV, Overview of Archaeology	IV-1, 20
Chapter V, Basketmaker II; Architecture, Artifacts and Sites.	V-1, 141
Chapter VI, The Mossbacks Phase; the Basketmaker III	VI-1, 41
Chapter VII, The Pueblo Assemblages	VII-1, 118
Chapter VIII, Approach to Settlement Pattern on Cedar Mesa	VIII-1, 24
Chapter IX, Grand Gulch Settlement Patterns	IX-1, 87
Chapter X, The Mossbacks Settlement Patterns	X-1, 35
Chapter XI, Pueblo Settlement Patterns	XI-1, 123
Chapter XII, Cedar Mesa Adaptations; change and continuities	XII-1, 75
Bibliography	1, 31
Appendix A The Stone Tool typology; I: Chipped Stone II: Ground Stone	
Appendix B The Ceramic Classification	
Appendix C The Survey Data; Sites by Stone Tool and Ceramic Classifications	

Matson, Lipe and Haase, Tables - i

Table of Contents  
Tables

<u>Table Number</u>	<u>Table Heading</u>	<u>Page</u>
I-1	Natural Bridges Climatic Information	--
II	No Tables in Chapter II	
III-1	Drainage Canyon Sampling Summary	III-21,22
III-2	Comparison of Normal Confidence Intervals with Binomial Intervals	III-41,42
III-3	Bullet Drainage Summary	III-42,43
III-4	Comparison of Simulation of 400 meter quadrats with 800 meter quadrat sampling simulation.	III-49,50
III-5	Upper Grand Gulch 400 meter quadrat simulation.	III-4
III-6	Comparison of Simulation of 400 meter quadrats with 200 meter quadrat samples.	III-53
III-7	Hypothetical Data Array.	III-59
III-8	Matrix of Jaccard's Distance, A,B,C, and D.	III-60
III-9	Recalculated Distance Matrix	III-62
III-10	Hypothetical Data Array, A,B,C,D,E and F.	III-63
IV-1a	Cedar Mesa Quadrat Site Drainage Summary Statistics	--
1b	Cedar Mesa Quadrat Artifact Drainage Summary Statistics	--
IV-2	Drainage Canyon Survey Summary	--
IV-3a	Grand Gulch Extension Quadrat Surveys	--
3b	Grand Gulch Extension Canyon Inventories	--
V-1	Basketmaker II Feature Tabulation	--
V-2	Condensed Artifact List for Basketmaker II Q-Mode	--
V-3	Cedar Mesa Basketmaker II Radiocarbon Dates	--
V-4	Cedar Mesa Basketmaker II Tree-ring Dates	--
V-5	Black Mesa Basketmaker Radiocarbon Dates	--

Matson, Lipe and Haase, Tables - ii

V-6	Twenty-nine Tool types used in R-Mod Analysis	--
V-7	Occurrence of Artifact Types in Basketmaker II Sites	--
V-8	Grand Gulch Pithouse Artifact Frequencies	--
V-9	Ward's Method Unstandardized Distance	--
V-10	Comparison of Unstandardized Cluster Analyses	--
V-11	Farthest Neighbor, Unstandardized Distance, Median Values.	--
V-12	Comparison between Farthest Neighbor and Ward's Cluster Analyses.	--
V-13	Farthest Neighbor, Standardized Distance, Median Values.	--
V-14	Comparison of Clusters	--
V-15	Final Basketmaker II Site Classes	--
V-16	Multicomponent Basketmaker II site Classification	V-104
V-17	Final Basketmaker II Site Totals	V-105
V-18	Debitage Classes	--
V-19	Bifaces and Bifacial Resharpener Flakes	--
VI-1	Mossbacks Tree-ring Dates.	--
VI-2	Basketmaker III Components	--
VI-3	Distribution and Abundance of Mossbacks Artifact Types.	--
VI-4	Classes used in Preliminary R-mode Analysis	--
VI-5	Artifact Classes used in Q-mode Mossbacks Analysis	--
VI-6	Summary Statistics of Farthest Neighbor Q-mode Cluster Analysis	--
VI-7	Summary Statistics of Ward's Q-mode Cluster Analysis	--
VI-8	Comparison of Ward's and Farthest Neighbor	--

Matson, Lipe and Haase, Tables - ii

VI-9	Basketmaker III Feature Summary	--
VI-10	Lithic Debitage in Farthest Neighbor Clusters	--
VI-11	Debitage in "Known" site Classes	--
VI-12	Final Mossbacks Site Classification	--
VII-1	Pottery Types used in Seriation	--
VII-2	Ceramic Data for Redhouse Phase (Group I) Sites	--
VII-3	Ceramic Data for Woodenshoe Phase (Group II) Sites	--
VII-4	Ceramic Data for Windgate Phase (Group III) Sites	--
VII-5	Ceramic Data for Clay Hills Phase (Group IV) Sites	--
VII-6	Comparison of Groups III(Windgate) and IV(Clay Hills)	--
VII-7	Comparison of Woodenshoe and Clay Hills	--
VII-8	Comparison of Redhouse and Woodenshoe	--
VII-9	Comparison of Windgate and Woodenshoe	--
VII-10	Comparison of Vector 2 rank of Clay Hills with time sensitive ceramics.	--
VII-11	Comparison of Early Clay Hills with Late Windgate	--
VII-12	Comparison of Early Woodenshoe (Group II) with Late Clay Hills (Group IV)	--
VII-13	Ceramic Variables used in Discriminant Analysis.	--
VII-14	Results of Discriminant Analysis on 47 seriation sites	--
VII-15	Classification of 32 Pueblo Assemblages	--
VII-16	Placement of Non-seriated sites by Discriminant Analysis	--
VII-17	Classification of 22 Canyon site using Discriminant Analysis	--
VII-18	Tree-ring Dates Relevant to Pueblo Phases	--
VII-19	Distribution and Abundance of Pueblo Artifact Types	--

Matson, Lipe and Haase, Tables - iv

VII-20	Artifacts used in Pueblo Preliminary R-mode Analysis	--
VII-21	Condensed Q-mode Tool Types	--
VII-22	Summary of Farthest Neighbor Pueblo Clusters	--
VII-23	Pueblo Architecture, Large Sites	--
VII-24	Cluster V versus Overall Lithic Technology	--
VII-25	Temporal Affiliation of Clusters and Dimension	--
VII-26	Pueblo Architecture, Small Sites	--
VII-27	Comparison of Small L.A. Sites with Large Pueblo Sites	--
VII-28	Comparison of Debitage between Small L.A. Sites and Large Pueblo sites.	--
VII-29	Pueblo Sites without Lithics	--
VII-30	Sites with Mixed Pueblo Components	--
VII-31	Pueblo Sites with Basketmaker II Components	--
VII-32	Pueblo Sites with Basketmaker III Components	--
VII-33	Summary of Pueblo Quadrat Site Classification	--
VII-34	Pueblo Drainage Canyon Sites	--
VIII	No Tables in Chapter VIII	
IX-1	Quadrat Elevations Population Parameters, Grand Gulch Phase site classes	--
IX-2	Differences in Dispersions of Elevations between Habitation and Nonhabitation quadrats	--
IX-3	Differences in Dispersions of Elevations Between Limited Activity and Habitation quadrats	--
IX-4	Elevation and Percent Dense P.-J. Coverage of Campsite Quadrats.	--
IX-5	Fit of Poisson Distribution with Habitation Quadrat Distribution	--

Matson, Lipe and Haase, Tables - v

IX-6	Fit of Negative Binomial Distribution with Habitation Quadrat Distribution	--
IX-7	Fit of Poisson Distribution with 200 meter Quadrats (Habitation sites)	--
IX-8	Fit of Negative Binomial Distribution with 200 meter Quadrats (Habitation sites)	--
X-1	Basketmaker III Dwellings	--
X-2	Quadrats by Number of Habitation sites	--
X-3	Quadrats by Number of Inferred Dwellings	--
X-4	Fit of Poisson Distribution with Basketmaker III Dwelling Distribution	--
X-5	Fit Negative Binomial Distribution with Basketmaker III Dwelling Distribution	--
XI-1	Distance to Canyons, Habitation Sites	--
XI-2	Special Purpose L.A. Pueblo Sites	--
XI-3	Distribution of Pueblo Sites	--
XI-4	Rank of Watershed Divide Nearest to Sites	--
XI-5	Number of Features on Pueblo Field Stations	--
XI-6	Distance from Nearest known Contemporary Habitation site by number of Features	--
XI-7	Drainage Tree-Ring Dates	--
XI-8	Drainage Quadrats, Pueblo Habitation sites	--
XI-9	Distribution of Pueblo Habitation sites per Quadrat	--
XI-10	Clusters of Habitation sites	--
XI-11	Pueblo Habitation Quadrats compared with Poisson distribution	--
XI-12	Pueblo Habitation Quadrats compared with Negative Binomial Distribution	--

Matson, Lipe and Haase, Tables - vi

XII No Tables in Chapter XII

Matson, Lipe and Haase -- Figures - i

Figure Headings

<u>Figure No.</u>	<u>Heading</u>	<u>Page</u>
I-1	Location of Cedar Mesa and Surroundings	--
I-2	Cedar Mesa Drainages	--
I-3	West to East Transect Across Cedar Mesa	--
I-4	Climatic Summary for Natural Bridges	--
I-5	Length of Droughts a) Spring b) Fall	--
I-6	Monsoon a) Date of Inception b) Amount of Precipitation	--
I-7	Growing Season a) Date of Last Frost b) Date of First Frost c) Growing Season Length	--
I-8	Walter Climatic Diagram for Natural Bridges a) Number of years of observation b) Elevation (Meters) c) Mean annual temperature ( $^{\circ}\text{C}$ ) d) Mean annual Precipitation (mm) e) Humid period (Mean temperature above $0^{\circ}\text{C}$ ) f) Arid period g) Months with mean daily temperature below $0^{\circ}\text{C}$ h) Months with minimum temperature below $0^{\circ}\text{C}$ i) Months with minimum temperature above $0^{\circ}\text{C}$ j) Humid period with mean temperature below $0^{\circ}\text{C}$	--
I-9	Walter Climatic Diagrams for Mesa Verde and Betakin	--
	No Figures in Chapter II, Methodology	
III-1	Setting of Springs with Respect to Canyons and Mesa top	--
III-2	Cedar Mesa Sample; Sampled Drainages and Quadrats	--
III-3	"Typical" Site Map. a) Large Scale Site Map b) Feature Map	--

Matson, Lipe and Haase-- Figures - ii

III-4	Cultural Form	--
III-5	Botanical Form	--
III-6	Physiographic Form	--
III-7	Canyon Inventory	
	a) Form, Page 1	
	b) Form, Page 2, with sample sketch	--
III-8	Water Resources Survey Form	--
IV-1	Areas surveyed, including Slickhorn and Pine-Dripping Springs drainages	-- MISSING
IV-2	Sites per Drainage	--
IV-3	Artifacts per Quadrat per Drainage (Log. Scale)	
	a) Logarithmic Scale	
	b) Arithmetic Scale	--
IV-4	Archaeological remains by Elevation (Five Drainages)	
	a) Number of sites	
	b) Number of Artifacts	--
IV-5	Basketmaker II Sites per Quadrat	--
IV-6	Basketmaker II Artifacts per Quadrat	--
IV-7	Basketmaker II Artifacts by Elevation	--
IV-8	Basketmaker III sites by Drainage	--
IV-9	Basketmaker III sites by Transect	--
IV-10	Basketmaker III sites by Elevation	--
IV-11	Basketmaker III Artifacts by Transect	--
IV-12	Pueblo Sites by Drainages	--
IV-13	Pueblo Artifacts by Drainages	--
IV-14	Pueblo Sites by Transect	--
IV-15	Pueblo Artifacts by Transect	--
V-1	Marsh Pass, Monument Valley and Red Rock Plateau Locations	--
V-2	Red Rock Plateau Basketmaker II Sites	--

Matson, Lipe and Haase-- Figures - iii

V-3	Basketmaker II Pithouse Architecture	--
V-4	Site Map of Bullet 4-2; Basketmaker II Pithouse site	--
V-5	Occurrences of 16 Artifact Types on 96 "Large" Basketmaker II sites; Medians and Interquartile Ranges	--
V-6	Occurrences of 16 Artifact Types on 22 small Basketmaker II sites; Median and Interquartile Ranges	--
V-7	Occurrences of 16 Artifact Types on 22 small and 96 "Large" sites; Means.	--
V-8	Cedar Mesa Basketmaker II Projectile Points	--
V-9	Basketmaker II R-Mode Analysis; Farthest Neighbor Cluster Analysis using Spearman Correlations Distances	--
V-10	Basketmaker II R-Mode Analysis; Multidimensional scaling Dimensions 1 (17% of trace) and 2 (14% of trace); Spearman Correlations Distances	--
V-11	Basketmaker II R-Mode Analysis; Multidimensional scaling Dimension 3 (10% of trace) and 4 (9%)	--
V-12	Basketmaker II R-Mode Analysis; Farthest Neighbor Cluster Analysis using Pearson Correlation Coefficients	--
V-13	Basketmaker II R-Mode Analysis; Principal Components Analysis; Components 1 and 2	--
V-14	Frequencies of 16 Artifact types on 8 Grand Gulch Pithouse sites	--
V-15	Basketmaker II Q-Mode Analysis; Ward's Cluster Analysis Unstandardized Distance; Summary of Artifacts	--
V-16	Basketmaker II Q-Mode Analysis; Farthest Neighbor Cluster Analysis, Unstandardized Distance; Summary	--
V-17	Basketmaker II Q-Mode Cluster Analysis Dendrograms a) Ward's Unstandardized Distance b) Farthest Neighbor, Unstandardized Distance c) Farthest Neighbor, Standardized Distance	-- -- --
V-18	Basketmaker II Q-Mode Analysis; Farthest Neighbor Cluster Analysis, Standardized Distance; Artifact Summary	--
V-19	Final R-Mode Analysis; Farthest Neighbor Dendrogram	--
V-20	Final R-Mode Analysis; Ward's Dendrogram	--

Matson, Lipe and Haase-- Figures - iv

V-21	Final R-Mode Analysis; Multidimensional Scaling; Dimensions 1 and 2 (44 % of trace)	--
V-22	Final R-Mode Analysis; Multidimensional Scaling; Dimensions 3 and 4 (24% of trace)	--
V-23	Q-Mode, Multidimensional Scaling; Dimensions 1 and 2 (47 % of trace)	--
V-24	Dimension 1, Q-Mode; Artifact Summary	--
V-25	Dimension 2, Q-Mode; Artifact Summary	--
V-26	Upper Right Hand Quadrant of Dimensions 1 and 2; Q-Mode Artifact and Feature Summary	--
V-27	Lower Left Hand Quadrant of Dimensions 1 and 2; Q-Mode Artifact and Feature Summary	--
V-28	Q-Mode, Multidimensional Scaling; Dimension 3 and 4 (24 % of trace)	--
V-29	Dimension 3, Q-Mode; Artifact Summary	--
V-30	Dimension 4, Q-Mode; Artifact Summary	--
V-31	Debitage Distributions; 96 "large" and 22 small sites	--
V-32	Debitage Distributions; Final Site Classes	--
V-33	Distribution of 16 Artifact Types, 96 "Large" sites; Medians and Interquartile Ranges	--
V-34	Distribution of 16 Artifact Types, 22 Small sites; Medians and Interquartile Ranges	--
V-35	Distribution of 16 Artifact Types, 22 Small and 96 "Large" sites; Means	--
V-36	Hammerstone and Ground Stone Proportions by Site Size	--
V-37	Complete and Fragmentary Hammerstone Proportions by Site Size	--
V-38	Hammerstone and Mano Proportions by Site Size	--
V-39	Complete and Fragmentary Hammerstone Proportions by Site Size	--
V-40	Pebble Hammerstones Proportions by Site Size	--
V-41	Metate Proportions by Site Size	--

Matson, Lipe and Haase-- Figures - v

V-42	Flake Scraper Proportions by Site Size	--
V-43	Sandstone Hearths by Site Size a) "Raw" counts per site b) Total hearths divided by total assemblage per class	--
V-44	Ash Hearth by Site Size a) "Raw" counts per site b) Total hearths divided by total assemblage per class	--
V-45	Proportions of Sites without Facilities a) Irregular and Pebble Hammerstones b) Manos and Metates c) Flake Scrapers	--
V-46	Proportions of Sites with only Ash Hearths a) Irregular and Pebble Hammerstones b) Manos and Metates c) Flake Scrapers	--
V-47	Proportions of Sites with Slab Hearths a) Irregular and Pebble Hammerstones b) Manos and Metates c) Flake Scrapers	--
V-48	Proportions of sites with Sandstone Slab Cists a) Irregular and Pebble Hammerstones b) Manos and Metates c) Flake Scrapers	--
V-49	Proportions of sites with Pithouses a) Irregular and Pebble Hammerstones b) Manos and Metates c) Flake Scrapers	--
V-50	Flake Scrapers and Assemblage Size by Facility Site Class	--
V-51	Core and Ground Stone Tools by Facility Site Class a) Irregular and Pebble Hammerstones b) Manos and Metates	--
V-52	Final Tabulation of 16 Artifact Types and Features by Final Site Classes. a) 16 Artifact Classes b) Feature Classes CHRS	--

PENCIL ROUGH

Matson, Lipe and Haase-- Figures - vi

VI-1	Farthest Neighbor R-Mode Cluster Analysis Dendrogram	--
VI-2	R-Mode Multidimensional Scaling; Dimensions 1 (30 % of trace) and 2 (23 % of trace)	--
VI-3	R-Mode Multidimensional Scaling; Dimensions 3 (19 % of trace) and 4 (18 % of trace)	--
VI-4	Comparison of Basketmaker II and III Assemblages; Percent of total tools; Tools classes, Debitage categories; Tool types	--
VI-5	Small Basketmaker III Assemblages (Sum of tools less than 11); Medians and Interquartile Ranges; Means (n=11)	--
VI-6	Large Basketmaker III Assemblages (Sum of tools greater than 11); Medians and Interquartile Ranges; Means (n=23)	--
VI-7	Comparison of Basketmaker II and III Assemblages; 16 Types; Means; Both Large and Small sites	--
VI-8	Comparison of Basketmaker II and III Large Site Assemblages; 16 Types; Medians and Interquartile Ranges; --	--
VI-9	Artifact Abundances on Basketmaker III Pithouse sites; Medians and Interquartile Ranges; Means	--
VI-10	Farthest Neighbor Q-Mode Cluster Analysis Dendrogram (Unstandardized Distance)	--
VI-11	Farthest Neighbor Q-Mode Cluster Analysis Artifact Summaries	--
VI-12	Ward's Q-Mode Cluster Analysis Dendrogram (Unstandardized Distance)	--
VI-13	Q-Mode Multidimensional Scaling; Dimensions 1 and 2 (71 % of total pairwise distance)	--
VI-14	R-Mode Multidimensional Scaling; Dimensions 1 and 2 (75 % of total pairwise distance)	--
VI-15	Q-Mode Multidimensional Scaling; Dimensions 3 and 4 (16 % of total pairwise distance)	--
VI-16	R-Mode Multidimensional Scaling; Dimensions 3 and 4 (23 % of total pairwise distance)	--

Matson, Lipe and Haase-- Figures - vii

VI-17	Distribution of Lithic Debitage Categories a) Farthest Neighbor Clusters b) Limited Activity and Habitation sites	--
VI-18	Final Tabulation of 16 Artifact Types and Features; Final Mossbacks Site Classes a) 16 Artifact Types b) Features	--
VII-1	Seriation of 47 Pueblo site; Multidimensional Scaling; Dimensions 1 and 2 (73 % of trace); 14 decorated types	--
VII-2	Farthest Neighbor Cluster Analysis of Dimensions 1 and 2 of VII-1	--
VII-3	R-Mode Analysis of 14 decorated types; Farthest Neighbor of Spearman Distances	--
VII-4	R-Mode Analysis of 14 decorated types; Non-Metric Multidimensional Scaling; Spearman Distances; Two dimensional solutions; 10.6% Kruskal Stress	--
VII-5	R-Mode Analysis of 14 decorated types; Metric Multidimensional Scaling; Spearman Distances; Dimensions 1 and 2; 71 % of trace	--
VII-6	Q-Mode Analysis of 22 Pueblo sites using 7 Kayenta pottery types. Metric Multidimensional Scaling; Dimensions 1 and 2; 65 % of trace	--
VII-7	Q-Mode Analysis of 42 Pueblo sites using 6 Mesa Verde pottery types. Metric Multidimensional Scaling; Dimensions 1 and 2; 91 % of trace	--
VII-8	Quadrat Red House Phase Ceramic Assemblages	--
VII-9	Canyon Red House Phase Ceramic Assemblages	--
VII-10	Comparison of Corrugated Pottery between Quadrat Red House and Canyon Red House Sites	--
VII-11	Changes in Corrugated Pottery through time	--
VII-12	Q-Mode Metric Multidimensional Scaling of Original 47 sites plus Drainage Canyon sites using 14 Decorated types. Dimensions 1 and 2; 79 % of trace	--
VII-13	Distributions of total lithic tools on Pueblo sites	--

PENCIL ROVAT

Matson, Lipe and Haase-- Figures - viii

VII-14	Comparison of Basketmaker II, III and Pueblo Lithic tool distributions	--
VII-15	Comparison of Basketmaker II, III and Pueblo Lithic Debitage distributions	--
VII-16	Farthest Neighbor R-Mode Cluster Analysis of Pueblo sites Dendrogram; Spearman Distance	--
VII-17	Ward's R-Mode Cluster Analysis of Pueblo site Dendrogram; Spearman distance	--
VII-18	Multidimensional Scaling R-Mode Analysis of Pueblo sites; Spearman Distance; Dimensions 1 and 2; 56 % of the total pairwise distance	--
VII-19	Farthest Neighbor Q-Mode Analysis of Pueblo Sites Dendrogram	--
VII-20	Artifact Summary of Farthest Neighbor Q-Mode Cluster Analysis	--
VII-21	Multidimensional Scaling Q-Mode Analysis of Pueblo sites; Dimensions 1 and 2; 67 % of total pairwise distance	--
VII-22	Final R-Mode Farthest Neighbor Cluster Analysis Dendrogram; Spearman distance	--
VII-23	Final R-Mode Ward's Cluster Analysis Dendrogram; Spearman distance	--
VII-24	Final R-Mode Multidimensional Scaling; Dimensions 1 and 2; 61 % of total pairwise distance; Spearman distance	--
VII-25	Final R-Mode Multidimensional Scaling; Dimensions 3 and 4; 20 % of total pairwise distance; Spearman distance	--
VII-26	Multidimensional Scaling Q-Mode Analysis of Pueblo sites; Dimensions 3 and 4; 15 % of total pairwise distance	--
VII-27	Final Tabulation of 16 Lithic types on Small and Large Pueblo Sites	--
VII-28	Final Tabulation of Lithic Debitage Classes on Large and Small Pueblo Sites	--

MISSING

Matson, Lipe and Haase-- Figures - ix

No Figures in Chapter VIII

IX-1	Elevation of Quadrats with Grand Gulch Habitations sites and those without	--
IX-2	Total Grand Gulch Tools Per Quadrat Plotted against Elevation	--
IX-3	Amount of Quadrats covered by Dense Pinyon-Juniper; All Quadrats; Quadrats with Grand Gulch Habitation site; Quadrats without	--
IX-4	Reconstruction of n-dimensional Hypervolume niche space by Multidimensional Scaling; Dimensions 1 and 2; 65.5% of trace; City Block Unstandardized Distance; Percent of cover by plant communities and Slickrock; Quadrats with Grand Gulch Habitations sites indicated	--
IX-5	Reconstruction of n-dimensional Hypervolume niche space by Multidimensional Scaling; Dimensions 3 and 4; 23.6 % of trace; Same basis as Figure IX-4	--
IX-6	Hypervolume; Dimensions 1 and 2; Coded for Grand Gulch Limited Activity sites; Same plot as IX-4	--
IX-7	Hypervolume; Dimensions 3 and 4; Coded for Grand Gulch Limited Activity sites; Same plot as IX-5	--
IX-8	Distance from 50m Canyon Rims; Grand Gulch Habitation and Non-Habitation Quadrats	--
IX-9	Plot of Quadrats by Elevation and Distance from 50m Canyon Rims; Quadrats coded for Grand Gulch Habitation sites present, No Grand Gulch Habitation site but Limited Activity Sites Present, and No Grand Gulch Site Present	--
IX-10	Hypervolume; Dimensions 1 and 2; Coded for Limited Activity Sites Groups 0 and 1; Same plot as IX-4	--
IX-11	Hypervolume: Dimensions 3 and 4; Coded for Limited Activity Sites Groups 0 and 1; Same plot as IX-4	--
IX-12	Hypothetical Relationships between Limited Activity and Habitation sites; Group 0 and 1 L.A.S.; Group 2 Campsites	--
IX-13	Elevations of Grand Gulch Limited Activity Quadrats; Group 0 and 1; Group 2 Campsites.	--

Matson, Lipe and Haase-- Figures - x

IX-14	Hypervolume; Dimensions 1 and 2; Coded for Grand Gulch Group 2 Campsites; Same plot as IX-4	--
IX-15	Hypervolume; Dimensions 3 and 4; Coded for Grand Gulch Group 2 Campsites; Same plot as IX-5	--
IX-16	Grand Gulch Group 2 Campsite Quadrat Elevation; "Hunting" versus "Vegetable Processing" Campsites	--
IX-17	Grand Gulch Group 2 Campsite Quadrat Dense Pinyon-Juniper Coverage; "Hunting" versus "Vegetable Processing" Campsites	--
IX-18	Number of Grand Gulch Habitation sites per Quadrat	--
IX-19	Total Number of Grand Gulch Habitation per Quadrat size class	--
IX-20	Rose Diagram showing exposures of Grand Gulch Habitation Sites	--
IX-21	Rose Diagram of Grand Gulch Pithouse Sites	--
IX-22	Rose Diagram of all 76 Quadrats	--
IX-23	Rose Diagram of Grand Gulch Limited Activity Sites	--
IX-24	Rose Diagram of Grand Gulch Limited Activity Sites a) Limited Activity Quadrats between 6190 and 6540 ft b) Limited Activity Quadrats with greater than 50% dense Pinyon-Juniper coverage	--
IX-25	Rose Diagram of Grand Gulch Group 2 Campsites	--
IX-26	Rose Diagram of Grand Gulch Group 2 Campsites a) "Vegetable Processing" Campsites b) "Hunting" Campsites	--
IX-27	Possible explanation of fields and related field station exposures.	--
IX-28	Grand Gulch Population on Cedar Mesa; Population by Pithouse House Life; Assuming all Habitation sites have Pithouses Present	--
IX-29	Grand Gulch Population on Cedar Mesa; Population by Pithouse House Life; Assuming only Pithouses Identified in the Field Exist	--

Matson, Lipe and Haase-- Figures - xi

X-1	Mossbacks Quadrat Elevations; All Quadrats; Quadrats with Mossbacks Habitation sites; Quadrats with Limited Activity sites	--
X-2	Mossbacks Locations; Quadrats with Habitations sites; Quadrats with Limited Activity sites	--
X-3	Mossbacks Quadrats Coverage with Dense Pinyon- Juniper; All Quadrats; Quadrats with Habitation sites; Quadrats with Limited Activity Sites	--
X-4	Hypervolume; Dimension 1 and 2; Mossbacks Habitation Quadrats; Same plot of IX-4	--
X-5	Hypervolume; Dimension 3 and 4; Mossbacks Habitation Quadrats; Same plot of IX-5	--
X-6	Hypervolume; Dimension 1 and 2; Mossbacks Limited Activity Quadrats; Same plot of IX-4	--
X-7	Hypervolume; Dimension 3 and 4; Mossbacks Limited Activity Quadrats; Same plot of IX-4	--
X-8	Rose Diagram for Mossbacks Habitation Sites	--
X-9	Rose Diagram for Mossbacks Limited Activity Sites	--
X-10	Number of Habitation Sites per Quadrat	--
X-11	Number of Dwelling per Quadrat	--
X-12	Cedar Mesa Mossbacks Population; Population by Pithouse House Life	--
XI-1	Pueblo Quadrat Elevations; All Quadrats; Quadrats with Pueblo Habitation sites; Quadrats with Limited Activity sites	--
XI-2	Pueblo Site Locations; Quadrats with Habitations sites; Quadrats with Limited Activity sites	--
XI-3	Pueblo Quadrats Coverage with Dense Pinyon- Juniper; All Quadrats; Quadrats with Habitation sites; Quadrats with Limited Activity Sites	--
XI-4	Hypervolume; Dimension 1 and 2; Pueblo Habitation Quadrats; Same plot as IX-4	--

*Revised*

Matson, Lipe and Haase-- Figures - xi<sup>1</sup>

XI-5	Hypervolume; Dimension 3 and 4; Pueblo Habitation Quadrats; Same plot as IX-5	--
XI-6	Hypervolume; Dimension 1 and 2; Pueblo Limited Activity Quadrats; Same plot as IX-4	--
XI-7	Hypervolume; Dimension 3 and 4; Pueblo Limited Activity Quadrats; Same plot as IX-4	--
XI-8	Elevations of Pueblo Habitation Quadrat; 10 Quadrats with most Material; 25 remaining quadrats	--
XI-9	Rose Diagram of Pueblo sites; Random Points; Field Stations; Habitation sites	--
XI-10	Pueblo Sites Distances from Known Water Sources; Random Points; Habitation Sites; Field Stations	--
XI-11	Pueblo Sites Distances from Water Courses; Random Points; Habitation Sites; Field Stations	--
XI-12	Pueblo Sites Distances from Divides; Random Points; Habitation Sites; Field Stations	--
XI-13	Limited Activity Sites with Facilities by Distance from Nearest Known Contemporary Habitation site	--
XI-14	Location of Horse Flats relative to Cedar Mesa	--
XI-15	Distance to Water Source; Pueblo Habitations; Early/Late Phases; Field Stations	--
XI-16	Dense Pinyon-Juniper Coverage Red House versus other Pueblo Phases; Habitation Quadrats	--
XI-17	East/West Location of Pueblo and Basketmaker III Sites; Post-Windgate Phase; Windgate Phase; Basketmaker III Quadrats	--
XI-18	Number of Pueblo Habitation Sites per Quadrat	--
XI-19	Total Number of Pueblo Habitation Sites per Quadrat Size Class	--
XI-20	Pueblo Habitation Site Cluster Distribution a) Habitation sites per Cluster b) Total Number of Habitation sites per Cluster Size Class	--

Matson, Lipe and Haase-- Figures - xi

XI-21	Cedar Mesa Pueblo Population; Considering Small and Large Sites to be Occupied for the same Duration; By House Life; Large sites having a mean of 15 people	--
XI-22	Cedar Mesa Pueblo Population; Considering Small and Large Sites to be Occupied for different Durations; By House Life, with Large Sites being occuppied twice as long as Small Sites; Large Sites having a mean of 15 people	--
XI-23	Cedar Mesa Pueblo Population; Considering Small and Large Sites to be Occupied for the same Duration; By House Life; Large sites having a mean of 10 people	--
XI-24	Cedar Mesa Pueblo Population; Considering Small and Large Sites to be Occupied for different Durations; By House Life, with Large Sites being occuppied twice as long as Small Sites; Large Sites having a mean of 10 people	--
XII-1	Elevations of Habitation Quadrats; Grand Gulch; Mossbacks; Pueblo	--
XII-2	Elevations of Limited Activity Quadrats; All Quadrats; Grand Gulch; Mossbacks; Pueblo	--
XII-3	Dense Pinyon-Juniper Coverage of Limited Activity Quadrats; All Quadrats; Grand Gulch; Mossbacks; Pueblo	--
XII-4	Dense Pinyon-Juniper Coverage of Habitation Quadrats; Grand Gulch; Mossbacks Pueblo	--
XII-5	Dense Pinyon-Juniper Coverage of Red House Versus other Pueblo Phases	--
XII-6	Cedar Mesa and Red Rock Plateau Occupation sequences; Occupation Periods and Hiatuses	--
XII-7	Location of White Canyon (Natural Bridges N.M.); Cedar Mesa; Westwater Ruin and Black Mesa Coal Lease Area	--
XII-8	Anasazi Sequence from Berry (1982: Figure 12) a) From Jennings 1974:38 b) From Gummerman and Euler 1976 c) Developed in Berry 1982	--
XII-9	Comparison of Cedar Mesa, Red Rock Plateau and Berry's Anasazi Sequence	--

Plate Headings  
Chapter V Basketmaker II

<u>Plate No.</u>	<u>Heading</u>	<u>Page</u>
V-1	Cedar Mesa Basketmaker II Corner Notched Projectile Points	--
V-2	Cedar Mesa Basketmaker II Corner Notched Projectuile Points	--
V-3	Cedar Mesa Basketmaker II Side Notched Projectile Points	--
V-4	Cedar Mesa Basketmaker II Shallow Side-Notched Projectile Points (Type 22)	--
V-5	Cedar Mesa Archaic Points	--